

# Quick Installation Guide

**Distributor, 1x BNC Input, HD-TVI,  
CVI, AHD, CVBS, 4x BNC Output**

**MAM-5DC1004M0A**

# Coaxial Cabling : HD-TVI/AHD/HDCVI/CVBS Video Distributor

ITEM NO.: MAM-5DC1004M0A HD-TVI/AHD/HDCVI

1 input 4 output Video Distributor



MAM-5DC1004M0A is 1 input 4 output HD-TVI/AHD/HDCVI Video distributor. They are suitable for far distance, different floor in a building or different electrical field.


## MAM-5DC1004M0A

### Features:


- 1 Video input to 4 video output.
- Support HD-TVI, AHD, HDCVI, 960H, NTSC, PAL video signal.
- Support high resolution up to 4K/1080P without any video loss.
- Channel 4 support one output support HD video + data control mode (Up the coax).
- Built in TVS protection.

### Installation View:

Slide switch at video:




Slide switch at VIDEO+DATA:



## Dip Switch Mode Function :

VIDEO                      Output 4 support video only.  
VIDEO + DATA        Output 4 support HD camera video with data control signal

## Panel View:



## Cable & Transmission Distance :

Link cable recommend use high quality 75ohm coaxial RG59/RG6U cable. The transmission distance will be affected by different quality of Camera, DVR and BNC connector, cable, installation...etc.

## LED Indication:

GREEN  
ON                      Power ON  
OFF                     Power OFF

## Caution :

1. Output 4 under Video+Data mode, the output must connect with HD-DVR. Not allow to connect with CVBS Camera/DVR.

## Specifications:

ITEM NO.	MAM-5DC1004M0A
Video Input Channel	BNC x 1, 75Ω, 1Vpp
Video Output Channel	BNC x 4 75Ω, 1Vpp
Video Bandwidth	100MHz 0.1dB Gain Flatness
Power Supply	DC12V 500mA
Power Consumption	110mA (Max)
Temperature	Operation: 0 to 55°C, Storage: -20 to 85°C, Humidity: up to 95%
Dimensions mm	138 x 85.6 x 29.5
Weight g	140



eneo® is a registered trademark of  
VIDEOR E. Hartig GmbH  
Exclusive distribution through special-  
ised trade channels only.

VIDEOR E. Hartig GmbH  
Carl-Zeiss-Straße 8  
63322 Rödermark/Germany  
Tel. +49 (0) 6074 / 888-0  
Fax +49 (0) 6074 / 888-100  
[www.videor.com](http://www.videor.com)  
[www.eneo-security.com](http://www.eneo-security.com)

Technical changes reserved

© Copyright by VIDEOR E. Hartig  
GmbH Version 11/2019